















LUBRICATION SYSTEMS ACCESSORIES







INDUSTRIAL







Part No.	Description
FILTERS AND STRAINERS	
FA5681 67823	Pressure filter Filter element micron size 15-25 for FA5681
67833	Lubeplus C30/C40/C50 Suction strainers for Phos. Bronze micron size 125
83421-007	Lubeplus C30/C40 Suction strainer Phos. Bronze micron size 125 (4.5 and 9.0 litre reservoirs)
83421-015	Suction strainer Phos. Bronze micron size 125 (3.0 litre reservoir)
	 Pressure Filter Suction Strainer
PRESSURE SWITCHES (ADJUSTABLE)	
23773-018	20-200 Bar (300-3000 lbf/in ²)
	
LUBRICATING BRUSHES	
83334-204	Nylon brush for 5/32 in O.D. Pipe
	


Part No.	Description
JUNCTIONS	
	Manufactured from zinc alloy and suitable for 5/32 in OD pipe
118279	3 way junction Fig. 4
114829	2 way junction Fig. 2
114830	3 way junction Fig. 3
114831	4 way junction Fig. 5
118278	2 way junction Fig. 1
	 Fig 1 Fig 2 Fig 3 Fig 4 Fig 5
JUNCTION HEADERS	
	Manufactured from zinc alloy these headers have one hole tapped 1/8 in x 27 NPT for fixing purposes. Remaining holes are tapped 5/16 in x 24 UNF and are suitable for 5/32 in OD pipe and fittings.
114837	3 way junction Fig. 6
114838	4 way junction Fig. 9
114839	4 way junction Fig. 10
114840	5 way junction Fig. 12
114841	3 way junction Fig. 7
114842	4 way junction Fig. 11
114843	3 way junction Fig. 8
114844	5 way junction Fig. 13
	 Fig 6 Fig 7 Fig 8 Fig 9 Fig 10 Fig 11 Fig 12 Fig 13
MANIFOLDS - Single Junction	
	Aluminium alloy, suitable for 5/32 in OD pipe using 5/16 in x 24 UNF fittings
	 <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>'A'</p> <p>Dimension</p> </div> <div style="text-align: center;"> <p>'B'</p> <p>Centres</p> </div> </div>
114815	4 way junction 46 mm 33 mm
114816	5 way junction 61.5 mm 50 mm
114817	6 way junction 77.5 mm 65 mm
114818	7 way junction 93.5 mm 81 mm
114819	8 way junction 109 mm 97 mm
114820	9 way junction 125 mm 113 mm
114821	10 way junction 141 mm 129 mm
114822	12 way junction 172.5 mm 160 mm

Part No.	Description																					
	MANIFOLDS - Double Junction																					
																						
	<table border="1"> <thead> <tr> <th></th> <th>'A' Dimension</th> <th>'B' Centres</th> </tr> </thead> <tbody> <tr> <td>114823</td> <td>46 mm</td> <td>33.5 mm</td> </tr> <tr> <td>114824</td> <td>61.5 mm</td> <td>49 mm</td> </tr> <tr> <td>114825</td> <td>77.5 mm</td> <td>65 mm</td> </tr> <tr> <td>114826</td> <td>93.5 mm</td> <td>81 mm</td> </tr> <tr> <td>114827</td> <td>109 mm</td> <td>97 mm</td> </tr> <tr> <td>114828</td> <td>125 mm</td> <td>112.5 mm</td> </tr> </tbody> </table>		'A' Dimension	'B' Centres	114823	46 mm	33.5 mm	114824	61.5 mm	49 mm	114825	77.5 mm	65 mm	114826	93.5 mm	81 mm	114827	109 mm	97 mm	114828	125 mm	112.5 mm
	'A' Dimension	'B' Centres																				
114823	46 mm	33.5 mm																				
114824	61.5 mm	49 mm																				
114825	77.5 mm	65 mm																				
114826	93.5 mm	81 mm																				
114827	109 mm	97 mm																				
114828	125 mm	112.5 mm																				
	PRESSURE GAUGES																					
25873-074	0-6.8 bar (0 - 100 lbf/in ²)																					
25873-111	0-13.5 bar (0 - 200 lbf/in ²)																					
25873-139	0-27.2 bar (0 - 400 lbf/in ²)																					
																						
	IN-LINE ADAPTOR																					
35141-812	In line adaptor block for pressure gauges.																					
																						
	SWIVELS																					
52938	Threaded 1/8 NPT male/female																					
52938/101	Threaded 1/8 BSP taper male/female																					
																						
	INTERLUBE FLUID GREASE																					
25717-284	ISL Fluid Grease NLGI 000 recommended for XGS and MX multi-line systems and Lubetronic single line systems using PDU's. Not suitable for use with Flow Units																					
	NYLON TUBING																					
136873	Supplied in 100 metre coils																					
152823	5/32 in OD TFF-M (natural).																					
	5/32 in OD TRR-H (black) primed with EP grease																					
135133	1/4 in OD TFF-M (natural)																					
136811	4 mm OD TTR (black)																					
	BRASS TUBING																					
1373-152	5/32 in OD																					
1373-103	3/16 in OD																					
1373-106	1/4 in OD																					
1373-109	5/16 in OD																					
1373-113	3/8 in OD																					
	COPPER TUBING																					
1371-103	3/16 in OD																					
1371-106	1/4 in OD																					
1371-109	5/16 in OD																					
	BUNDY TUBING																					
1178-102	5/32 in OD																					
1178-103	3/16 in OD																					
1178-104	1/4 in OD																					
1178-124	6 mm OD																					
1178-128	10 mm OD																					

Part No.	Description
	LUBRICATION FITTINGS - IMPERIAL RANGE
	Straight Connectors
LE 80585) 5/16 UNF
LE 80587) 5/32 O.D.
LE 80512) 1/8 BSP
LE 80588) 1/8 NPT
) 1/4 BSP
LE 80685) 5/16 UNF
LE 80687) 3/16 O.D.
LE 80688) 1/8 BSP
) 1/4 BSP
LE 80885) 5/16 UNF
LE 80887) 1/4 O.D.
LE 80888) 1/8 BSP
) 1/4 BSP
LE 81085) 5/16 UNF
LE 81087) 5/16 O.D.
LE 81088) 1/8 BSP
) 1/4 BSP
LE 81287) 1/8 BSP
LE 81212) 3/8 O.D.
LE 81288) 1/8 NPT
LE 81289) 1/4 BSP
) 3/8 BSP
	
	Elbows - Single Pipe End
LE 90585) 5/16 UNF
LE 90587) 5/32 O.D.
LE 90588) 1/8 BSP
) 1/4 BSP
LE 90687) 1/8 BSP
LE 90688) 1/4 BSP
LE 90612) 3/16 O.D.
LE 90613) 1/8 NPT
) 1/4 NPT
LE 90887) 1/8 BSP
LE 90812) 1/4 O.D.
LE 90888) 1/8 NPT
) 1/4 BSP
LE 91087) 1/8 BSP
LE 91088) 5/16 O.D.
) 1/4 BSP
LE 91287) 1/8 BSP
LE 91288) 3/8 O.D.
LE 91289) 1/4 BSP
) 3/8 BSP
	
	Connectors - Double Ended
LE 505	5/32 O.D. pipe
LE 506	3/16 O.D. pipe
LE 508	1/4 O.D. pipe
LE 510	5/16 O.D. pipe
LE 512	3/8 O.D. pipe
	
LEE 905	Elbows - Double Ended
	5/32 O.D. pipe
	

Part No.	Description
LE 05 LE 06 LE 08	<p>Tee Assemblies 5/32 O.D. pipe 3/16 O.D. pipe 1/4 O.D. pipe</p> 
LE 60525 LE 60550 LE 60637 LE 60675 LE 60837 LE 60875 LE 61250 LE 61299	<p>Bulkhead Connectors 5/32 O.D. 6mm. plate 5/32 O.D. 13mm. plate 3/16 O.D. 10mm. plate 3/16 O.D. 19mm. plate 1/4 O.D. 10mm. plate 1/4 O.D. 19mm. plate 3/8 O.D. 13mm. plate 3/8 O.D. 25mm. plate</p> 
LE 305 LE 306 LE 308 LE 310 LE 312	<p>Sleeve Nuts 5/32 O.D. tube 3/16 O.D. tube 1/4 O.D. tube 5/16 O.D. tube 3/8 O.D. tube</p> 
LE 205 LE 206 LE 208 LE 210 LE 212	<p>Cones 5/32 O.D. tube 3/16 O.D. tube 1/4 O.D. tube 5/16 O.D. tube 3/8 O.D. tube</p> 
LE 405	<p>Blank Plugs Manifold 5/15 UNF</p> 
LE 70805 LE 71005 LE 71206 LE 71208 LE 71210	<p>Reducing Connectors 1/4-5/32 5/16-5/32 3/8-3/16 3/8-1/4 3/8-5/16</p> 

Part No.	Description
LM 80421 LM 80422 LM 80424 LM 80487	<p>LUBRICATION FITTINGS - METRIC RANGE Straight Connectors LM 80421) M6 x 1.00 LM 80422) M8 x 1.00 LM 80424) 4 mm. O.D. M10 x 1.00 LM 80487) 1/8 BSP</p>
LM 80687 LM 80688	<p>LM 80687) 1/8 BSP LM 80688) 6 mm. O.D. 1/4 BSP</p>
LM 81087 LM 81088 LM 81089	<p>LM 81087) 1/8 BSP LM 81088) 10 mm. O.D. 1/4 BSP LM 81089) 3/8 BSP</p>
LE 80589 LE 80590 LE 80591 LE 80592 LE 80593	<p>LE 80589) M6 x 1.00 LE 80590) M8 x 1.00 LE 80591) 5/32 O.D. M8 x 1.25 LE 80592) M10 x 1.00 LE 80593) M10 x 1.25</p> 
LM 90421 LM 90422 LM 90424 LM 90487 LM 90488	<p>Elbows - Single Pipe End LM 90421) M6 x 1.00 LM 90422) M8 x 1.00 LM 90424) 4 mm. O.D. M10 x 1.00 LM 90487) 1/8 BSP LM 90488) 1/4 BSP</p>
LM 90687 LM 90688	<p>LM 90687) 1/8 BSP LM 90688) 6 mm. O.D. 1/4 BSP</p>
LE 90589 LE 90590 LE 90591 LE 90592 LE 90593	<p>Elbows - Single Pipe End LE 90589) M6 x 1.00 LE 90590) M8 x 1.00 LE 90591) 5/32 O.D. M8 x 1.25 LE 90592) M10 x 1.00 LE 90593) M10 x 1.25</p> 
LME 906 LME 910	<p>Elbows - Double End 6 mm 10 mm</p> 
LM 304 LM 306 LM 310	<p>Sleeve Nuts LM 304 4 mm. O.D. tube LM 306 6 mm. O.D. tube LM 310 10 mm. O.D. tube</p> 
LM 204 LM 206 LM 210	<p>Cones LM 204 4 mm. O.D. tube LM 206 6 mm. O.D. tube LM 210 10 mm. O.D. tube</p> 
LM 404	<p>Blank Plug (Manifold) 4 mm. O.D. pipe M.8 x 100</p> 

Part No.	Description
	MISCELLANEOUS FITTINGS
	Blank Plugs
100727	1/8 BSP
102017	1/4 BSP
	
	Copper Washers
4301	For 1/8 BSP
4323	For 1/4 BSP
	In Line Check Valve
5838	1/8 BSP
5838/1	1/8 BSP (Phosphor bronze ball & spring)

Part No.	Description
	Pipe Clips
120859) 1 way
3821) 2 way
3822) 5/32 and 3 way
3823) 3/16 O.D. 4 way
3824) 5 way
3826) 7 way
120863) 1/4 O.D. 1 way
3842) 2 way
120864) 3/8 O.D. 1 way
3847) 2 way